



CipherLab CP-9730 Rugged, mobile, logistic and warehouse terminal, WIFI, X 2D imager, CE, 30 keys, USB, pistol

Mobile computer deliberately crafted for superior indoor application. It has excellent features like 2D and 1D bar code scanning from 15 meters distance (with near-far imager) or 1D bar codes from 9 meters (with laser scanner), variety of keyboards good for terminal emulators, rugged display tested on 3 cm steel ball drop from 45 cm high or pistol grip.

CipherLab 9700 logistic mobile terminal series performs with versatility and functionality, while maintaining industrial ruggedness. Fully protected with IP65 standards, 9700 series' multiple reader options give users a wide range of data collection options. The 9700 series' new 3 keypad options deliver user friendly usage at all times. Mobile computer 9700 operates on the latest Windows® CE or Windows® Embedded Handheld platform and has fast TI OMAP 1GHz CPU and large 4 GB Flash / 512 MB DDR SDRAM memory. It can work at least 13 hours with one fully charged 3600 mAh standard battery.



Features of CipherLab 9700 series mobile computer

- versatile scanning options, where extended laser engine reads bar code from 9.1 m and 2D near/far engine over whopping 15 m
- 3 keypad options, each of them suitable to different application
- Cisco® CCXv4 Certified wireless IEEE 802.11 a/b/g/n
- withstands multiply drops from 1.8 m onto concrete
- chemically strengthened touch panel successfully sustains the Steel Ball Drop Test
- affordable price

Video - bar code read from 17 meters distance:
YOUTUBE="micw3q1FH00"



Technical Description

Functionality & Operation	
Indicators	3x LED, vibration, buzzer
Communication interface	USB, Audio, Bluetooth, WLAN (WiFi)
1D Barcode Symbolologies	All standard one-dimension barcodes
Memory	4GB Nand Flash, 512MB DDR SDRAM
CPU Type	TI OMAP 3730 1GHz
2D Code Symbolologies	all standard 2D-Codes
Display type	3,5" QVGA TFT LCD with backlight, chemical strengthened
Operating system	Windows® CE
Keyboard	with LED backlight, 30 keys, numeric
Wireless communication	Bluetooth®, WiFi
Bluetooth profiles	A2DP, AOB, AVRCP, DUN, GAP, GOEP, HFP, HID, HSP, OPP, PAN, SDP, SPP
Expansion slot	Micro SD Card (SDHC)
WLAN Features	WLAN security: WEP, WPA: PSK, TKIP, WPA2: AES, PSK, WPA-1x: TKIP, EAP-TLS, PEAP, WPA2-1x: AES, EAP-TLS, PEAP, 802.1x: EAP-TLS, PEAP, IEEE 802.11 a/b/g/n
WPAN Features	Bluetooth® v4.0 dual mode, V2.1 with Enhanced Data Rate (EDR)
Optical	
Depth of scan field	15 cm - 15 m
Bar code scanner	Advanced Long 2D Imager
Electrical	
Main battery pack	Rechargeable Li-Ion battery 5400 mAh, 3,7V
Main battery pack operating time	19hr (5400 mAh battery), 13hr (3600 mAh battery)
Mechanical	
Dimensions	Width: 87mm, Height: 214mm, Length: 47mm
Weight	478g including battery
Body housing	ABS plastic with rubber
Environment	
Operating temperature	-20 to 50°C
Storage temperature	-30 to 70°C
Relative humidity (non-condensing)	5 to 95%

CODEWARE, s.r.o.
Jaromirova 484/37
120 00 Praha 2 - Nusle
IČ: 61061395, DIČ: CZ61061395

+420 222 562 444
+420 737 274 952
codeware@codeware.cz
<https://eshop.codeware.cz/>

