

CipherLab RS30: Enterprise Smartphone, 2D Imager, Android, black, USB kit

CipherLab RS30 is a touchscreen, mobile, robust and very durable smartphone with dual SIM card, built-in NFC and RFID reader, barcode scanner and a 8 megapixel camera. Its solid protection ensures worry-free applications in the field. The 4.7-inch touch screen along with Android 4.4 operating system provides to the user interface as similar and familiar as any personal smartphone. Armed with ruggedness, the RS30 provides extra protection to enhance ruggedness with a protective boot. Equipped with versatile reader options, near field communication and other functions, the RS30 offers a rugged and intelligent solution to meet mobile workers' needs.

The RS30 series touch mobile computer is a touch-centric smartphone with built-in multi-touch panel operating on the Android operating system. This ensures minimal training for the users because the user experience would be as similar as a personal smartphone. Its high sensible touch panel supports users' touch from bare fingertips to latex gloves. The RS30 series also includes a large 4.7" display which supports more viewable data to speed up information checking and responses to customer requests. The RS30 series weighs in at only 250 grams so there are no burdens on users mobility.



Key features:

- Android OS
- Long battery life
- 2 Dual SIM
- built-in NFC and RFID reader as standard
- Touch, transmissive display 4.7 "
- IP54
- built-in multi-touch panel
- protective layer display: Corning Gorilla Glass 3
- battery backup with Hot swap
- Low weight 260 g
- 8 megapixel camera
- Wi-Fi and Bluetooth
- supported by development software tool Sysdev KALIPSO Mobile Application Generator



Technical Description

Functionality & Operation	
Indicators	3xLED, vibration, speaker
Communication interface	USB: OTG, client and host
1D Barcode Symbologies	All standard one-dimension barcodes
Memory	8GB Flash/1 GB RAM
CPU Type	Cortex 1.3 GHz Quad Core Processor
Operation interface	scan button, programmable buttons, volume up and down keys, ON/OFF
2D Code Symbologies	all standard 2D-Codes
Display type	4,7" IPS LCD Transmissive Corning Gorilla Glass 3
Operating system	Android
Wireless communication	NFC reader, GSM, GPRS, EDGE, HSDPA, HSPA+, HSUPA, WCDMA
Bluetooth profiles	GAP, SDP, GOEP, SPP, OPP, HID, HSP, HFP, FTP, PBAP, A2DP, AVRCP
Expansion slot	Micro SD Card (SDHC)
RFID transponder protocols	NFC (NDEF), 13.56 MHz, ISO 14443A, ISO 14443B, ISO 15693
Audio	speaker, dual array digital microphine with echo and noise cancellation
Touch-screen panel	Yes
GPS navigation	AGPS
WWAN Features	GSM/GPRS/EDGE: Quad band 850 / 900 / 1800 / 1900 MHz
WLAN Features	IEEE 802.11 a/b/g/n, WLAN security: WEP, WPA: PSK, TKIP, WPA2: AES, PSK, WPA-1x: TKIP, EAP-TLS, PEAP, WPA2-1x: AES, EAP-TLS, PEAP, 802.1x: EAP-TLS, PEAP
WPAN Features	Bluetooth® Class II v2.1 EDR
Optical	
Sensors	light sensor, proximity sensor, Accelerometer, e-compass
Bar code scanner	2D Imager
Camera	8 MPix, with Autofocus
Electrical	
Main battery pack	Rechargeable Li-Ion battery 2400 mAh, 3,7V
Main battery pack operating time	10hod
Mechanical	
Dimensions	Width: 80mm, Height: 155mm, Length: 17.3mm
Weight	260g
Color	black
Environment	
Operating temperature	-20 to 50°C
Storage temperature	-30 to 70°C
Storage humidity (non-condensing)	5 to 95%
Operating humidity (non-condensing)	10 to 90%
Electrical static discharge	±8kV contact, ±15kV air
Ingress protection	IP54

Others	
Certifications	CE, RCM, FCC, Green, NCC
Application software	App-Lock, Reader Configuration, Kalipso Mobile Application Generator, SOTI MobiControl, MAPS.ME, Zello, Programmable Keys
Optional accessories	protective cover, charging and communication cradle, snap-on communication & charging cable
Warranty	1 year
Development tools	CipherLab API for Android

CODEWARE, s.r.o.
Jaromirova 484/37
120 00 Praha 2 - Nusle
IČ: 61061395, DIČ: CZ61061395

+420 222 562 444
+420 737 274 952
codeware@codeware.cz
<https://eshop.codeware.cz/>

