



## Z-3392 Plus Bar-2D-QR Code Scanner, USB, black

Zebex Z-3392 Plus features all-around capabilities comparable to top line product in the field of barcode and 2D code scanning on the market.

In comperison with the previous Zebex models the Z-3392 Plus includes a few key refinements with barcode stitching capability, flexible application, better 1D and 2D scanning performance, and the all-important durable design for tough working conditions. It is a scanner with great value and is ideal for use in the retail industry.



## Key features of the Z-3392 Plus scanner

- Ergonomic, rugged design
- Decode most 1D & 2D barcodes
- LED indication and programmable beeper
- Affordable high performance









## **Technical Description**

## **Functionality & Operation**

Functionality & Operation	
Indicators	LED blue & red, programmable buzzer
Communication interface	JPOS, OPOS, RS232, USB
1D Barcode Symbologies	EAN 128, EAN 13, EAN 13/UPCA, EAN 13/UPCA + ADDON 2, EAN 13/UPCA + ADDON 5, EAN 8, EAN 8 + ADDON 2, EAN 8 + ADDON 5, EAN-UCC, ISBN/ISSN, UPC/EAN, UPCA, UPCE, Code 32, Code 39, Code 128, Codabar, Code 93, GS1 128, Industrial 2 of 5, Interleaved 2 of 5, Italy Pharma Code, Matrix 2 of 5, Standard 2 of 5, Telepen, China Postal Code, MSI, Plessey, Code 11
2D Code Symbologies	QR code, Micro QR Code, MicroPDF417, PDF417, Data Matrix, Aztec, MaxiCode, Codablock F, GS1 QR Code, GS1 DataMatrix, Composite codes, GS1 DataBar Composite Code, PLANET, Postnet, Royal Post, Australia Post
Optical	
Depth of scan field	30 mm ~ 280 mm
Maximal pitch angle	120°
Maximal skew angle	120°
Minimum symbol contrast	30%
Resolution	4 mil
Bar code scanner	2D Imager (1280 x 720 pixels)
Viewing angle	0 to 38.6°
Light source	visible red LED 617 nm
Electrical	
Power Source	+5V ±10%
Power Consumption - Operation	260mA
Power Consumption - Standby	120mA
Mechanical	
Cable lenght	2m
Maximal rotation angle	360°
Dimensions	Width: 66.6mm, Height: 163mm Length: 82.4mm
Weight	220g
Color	black
Body housing	ABS plastic
Environment	

Shock resistance

multiply drops from 1,5 m onto concrete surface

CODEWARE, s.r.o. Jaromírova 484/37 120 00 Praha 2 - Nusle IČ: 61061395, DIČ: CZ61061395

+420 222 562 444 codeware@codeware.cz https://www.codeware.cz/



